



DESIGNER
HEATING
2019



DESIGNER HEATING 2019

Kartell UK has established a reputation as a premier supplier of high quality products to the UK Plumbing and Heating Sector. We are delighted to introduce our 2019 K-Rad Designer Radiator brochure. Take a look at our wide range, all designed to provide exactly what we have become famous for at Kartell – delivering a quality product, offering a quality service and delivering at a competitive price.

Within these pages you will find the latest designer radiators and towel rails, influenced by fashions and designers across Europe. You will also find the traditional styles that have remained with us over the years; solid functional designs with durability and ease of use and maintenance. We trust that you will enjoy this new catalogue.

Designer Radiators

Aspen White Horizontal	4
Aspen White Vertical	5
Aspen Anthracite Horizontal	6
Aspen Anthracite Vertical	7
Aspen Stainless Horizontal	8
Aspen Stainless Vertical	9
Boston Chrome	10
Boston Anthracite	11
Boston White	12
Florida	13
Laser Klassic Horizontal	14
Laser Klassic Vertical	15
Laser Klassic Horizontal Raw Metal	16
Laser Klassic Vertical Raw Metal	17
Laser Klassic Horizontal Anthracite	18
Laser Klassic Vertical Anthracite	19
K-Flat Horizontal	20
K-Flat Vertical	21
K-Flat Premium Horizontal	22
K-Flat Premium Vertical	23
Vermont	24
Vermont Hi	25
Nostalgia	26
Legacy	27
San Jose	28
Miami	29
Cincinnati	30
Kansas	31
Los Angeles	32
Crown	33
Idaho	34

Designer Towel Rails


Toledo	35
Metro	36
Ohio	37
Connecticut	38
Orlando	39
Newark	40
Memphis	41
Atlantic	42
Mode	43
Oregon Chrome	44
Oregon Anthracite	45
Phoenix	46
New York	47
Oakland	48
K Squared	49
K Rail 22mm Black	50
K Rail 22mm Anthracite	51
Coloured K-Rails	52
K Rail 22mm White	54
K Rail 22mm Chrome	55
K Rail New 25mm Chrome	56
Electric rails	57

Radiator Valves & Extras 58-59




K-Rad Kolours


A selection of our most popular RAL colours are available on most products, for those that require a more unique look. Our K-Rad Kolours are ready to go so your product can be delivered to you in 2 weeks.




RAL 9010
Pure White




RAL 1013
Oyster White




RAL 9002
Grey White




RAL 7032
Pebble Grey




RAL 7001
Silver Grey



RAL 5024
Pastel Blue




RAL 5002
Ultramarine




RAL 7016
Anthracite




RAL 5013
Cobalt Blue



RAL 9005
Jet Black




RAL 6019
Pastel Green




RAL 1016
Sulphur Yellow



RAL 2004
Brilliant Orange



RAL 3020
Traffic Red



RAL 4010
Telemagenta

Cast Iron & Tubular Steel: £36 per section surcharge for Kartell Kolours.

K-Flats & K-Rads: price on application for Kartell Kolours.


Other colours only available upon request. Please contact the sales office for pricing.


Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output Δt60°C (BTUs)	Price (£)
Aspen Single							
ASP60-37SW	600	360	55	360	51	1434	170.50
ASP60-55SW	600	540	55	540	51	2234	239.80
ASP60-79SW	600	780	55	780	51	3309	323.70
ASP60-97SW	600	960	55	960	51	4428	386.30
ASP60-115SW	600	1140	55	1140	51	5111	451.50
ASP60-145SW	600	1440	55	1440	51	6377	559.40
Aspen Double							
ASP60-37DW	600	360	79	360	51	2467	247.80
ASP60-55DW	600	540	79	540	51	3850	346.30
ASP60-79DW	600	780	79	780	51	5694	475.50
ASP60-97DW	600	960	79	960	51	7591	570.10
ASP60-115DW	600	1140	79	1140	51	8645	668.70
ASP60-145DW	600	1440	79	1440	51	10780	825.80







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSW	1600	420	55	420	51	4187	326.30
ASP18-31VSW	1800	300	55	300	51	3563	270.40
ASP18-43VSW	1800	420	55	420	51	4796	358.30
ASP18-55VSW	1800	540	55	540	51	6299	446.20
Aspen Double							
ASP16-43VDW	1600	420	79	420	51	8170	439.60
ASP18-31VDW	1800	300	79	300	51	6933	346.30
ASP18-43VDW	1800	420	79	420	51	9540	468.90
ASP18-55VDW	1800	540	79	540	51	12283	591.40



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output Δt60°C (BTUs)	Price (£)
Aspen Single							
ASP60-37SA	600	380	55	360	51	1434	174.50
ASP60-55SA	600	560	55	540	51	2234	247.80
ASP60-79SA	600	800	55	780	51	3309	333.00
ASP60-97SA	600	980	55	960	51	4428	399.60
ASP60-115SA	600	1160	55	1140	51	5111	466.20
ASP60-145SA	600	1460	55	1440	51	6377	576.80
Aspen Double							
ASP60-37DA	600	380	79	360	51	2467	255.70
ASP60-55DA	600	560	79	540	51	3850	357.00
ASP60-79DA	600	800	79	780	51	5694	490.20
ASP60-97DA	600	980	79	960	51	7591	586.10
ASP60-115DA	600	1160	79	1140	51	8645	687.30
ASP60-145DA	600	1460	79	1440	51	10780	852.50







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSA	1600	440	55	420	51	4187	335.70
ASP18-31VSA	1800	320	55	300	51	3563	278.40
ASP18-43VSA	1800	440	55	420	51	4796	369.00
ASP18-55VSA	1800	560	55	540	51	6299	459.50
Aspen Double							
ASP16-43VDA	1600	440	79	420	51	8170	452.90
ASP18-31VDA	1800	320	79	300	51	6933	358.30
ASP18-43VDA	1800	440	79	420	51	9540	483.50
ASP18-55VDA	1800	560	79	540	51	12283	608.70



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output Δt60°C (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP60-40S	600	400	63	400	50	1271	333.00
ASP60-57S	600	570	63	570	50	1902	395.60
ASP60-80S	600	800	63	800	50	2749	459.50
ASP60-100S	600	1000	63	1000	50	3592	494.20
ASP60-120S	600	1200	63	1200	50	4016	512.80
ASP60-150S	600	1500	63	1500	50	5 075	642.00
Aspen Double							
ASP60-40D	600	370	88	370	70	2187	643.40
ASP60-57D	600	550	88	550	70	3285	623.40
ASP60-75D	600	790	88	790	70	4379	860.50
ASP60-100D	600	970	88	970	70	6204	935.10
ASP60-120D	600	1150	88	1150	70	6904	1005.70
ASP60-150D	600	1450	88	1450	70	8763	1276.10







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP180-25S	1800	250	63	250	50	2334	508.80
ASP180-31S	1800	310	63	310	50	2918	614.10
ASP180-45S	1800	450	63	450	50	4059	824.50
ASP180-56S	1800	560	63	560	50	5248	1033.60
Aspen Double							
ASP180-25D	1800	250	88	250	70	4552	881.30
ASP180-31D	1800	310	88	310	70	5690	1131.10
ASP180-45D	1800	450	88	450	70	7916	1571.80
ASP180-56D	1800	560	88	560	70	10234	1905.90



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
1200 Series						
BOS1200-410C	1200	410	370	50	1638	314.40
BOS1200-480C	1200	480	440	50	1911	361.00
BOS1200-550C	1200	550	510	50	2185	402.30
1600 Series						
BOS1600-410C	1600	410	370	50	2133	365.00
BOS1600-480C	1600	480	440	50	2489	419.60
BOS1600-550C	1600	550	510	50	2845	470.20
1800 Series						
BOS1800-410C	1800	410	370	50	2380	394.30
BOS1800-480C	1800	480	440	50	2777	454.20
BOS1800-550C	1800	550	510	50	3174	504.80






Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
1200 Series						
BOS1200-410A	1200	410	370	50	2,488	211.80
BOS1200-480A	1200	480	440	50	2,904	243.80
BOS1200-550A	1200	550	510	50	3,319	271.70
1600 Series						
BOS1600-410A	1600	410	370	50	3,240	246.40
BOS1600-480A	1600	480	440	50	3,781	283.70
BOS1600-550A	1600	550	510	50	4,322	317.00
1800 Series						
BOS1800-410A	1800	410	370	50	3,616	266.40
BOS1800-480A	1800	480	440	50	4,219	306.40
BOS1800-550A	1800	550	510	50	4,823	341.00




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
			(c1)	(c2)		
1200 Series						
BOS1200-410W	1200	410	370	50	2,488	203.80
BOS1200-480W	1200	480	440	50	2,904	234.40
BOS1200-550W	1200	550	510	50	3,319	262.40
1600 Series						
BOS1600-410W	1600	410	370	50	3,240	237.10
BOS1600-480W	1600	480	440	50	3,781	273.10
BOS1600-550W	1600	550	510	50	4,322	305.00
1800 Series						
BOS1800-410W	1800	410	370	50	3,616	257.10
BOS1800-480W	1800	480	440	50	4,219	295.70
BOS1800-550W	1800	550	510	50	4,823	329.00





Can be installed horizontally



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
600 Series							
FLO490-600	600	490	40	550	50-65	2062	499.50
FLO590-600	600	590	40	550	50-65	2473	563.40
800 Series							
FLO490-800	800	490	40	750	50-65	2749	632.70
FLO590-800	800	590	40	750	50-65	3294	721.90
1000 Series							
FLO490-1000	1000	490	40	950	50-65	3437	804.50
FLO590-1000	1000	590	40	950	50-65	4120	895.10
1200 Series							
FLO490-1200	1200	490	40	1150	50-65	4120	912.40
FLO590-1200	1200	590	40	1150	50-65	4946	1037.60
1800 Series							
FLO1800-290	1800	290	40	1750	50-65	3713	861.80
FLO1800-390	1800	390	40	1750	50-65	4946	1142.90


Laser Klassic Horizontal



5 5 Year Guarantee



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
LCL206014	600	650	66	535	14	2707	254.40
LCL206018	600	830	66	535	18	3480	320.10
LCL206022	600	1010	66	535	22	4255	386.90
LCL206026	600	1190	66	535	26	5027	450.50
3 Columns							
LCL306014	600	650	107	535	14	3694	275.60
LCL306018	600	830	107	535	18	4724	349.80
LCL306022	600	1010	107	535	22	5773	418.70
LCL306026	600	1190	107	535	26	6824	492.90
4 Columns							
LCL404014	400	650	148	335	14	3354	386.90
LCL404018	400	830	148	335	18	4312	492.90
LCL404022	400	1010	148	335	22	5269	598.90
LCL404026	400	1190	148	335	26	6229	704.90
LCL406014	600	650	148	535	14	4900	312.70
LCL406018	600	830	148	535	18	6300	397.50
LCL406022	600	1010	148	535	22	7701	477.00
LCL406026	600	1190	148	535	26	9102	562.90
LCL407514	750	650	148	685	14	6043	355.10
LCL407518	750	830	148	685	18	7769	445.20
LCL407522	750	1010	148	685	22	9460	540.60
LCL407526	750	1190	148	685	26	11221	636.00
6 Columns							
LCL603022	300	1010	230	235	22	5915	750.00
LCL603026	300	1190	230	235	26	6991	868.50
LCL603030	300	1370	230	235	30	8067	999.00




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height



Code	Description	Price (per pair)
T2F	2 column	£76.30
T3F	3 column	£76.30
T4F	4 column	£76.30
T6F	6 column	£76.30




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
LCL215007	1500	335	66	1435	7	3215	291.50
LCL215009	1500	425	66	1435	9	4133	371.00
LCL215011	1500	515	66	1435	11	5051	445.20
LCL218007	1800	335	66	1735	7	3858	298.90
LCL218009	1800	425	66	1735	9	4960	379.50
LCL218011	1800	515	66	1735	11	6063	455.80
3 Columns							
LCL318007	1800	335	107	1735	7	4146	350.00
LCL318009	1800	425	107	1735	9	5331	450.00
LCL318011	1800	515	107	1735	11	6516	540.00



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL206014	600	650	66	535	14	2707	330.72
RMLCL206018	600	830	66	535	18	3480	416.14
RMLCL206022	600	1010	66	535	22	4255	502.98
3 Columns							
RMLCL306014	600	650	107	535	14	3694	358.28
RMLCL306018	600	830	107	535	18	4724	454.74
RMLCL306022	600	1010	107	535	22	5773	544.32
RMLCL306026	600	1190	107	535	26	6824	640.78
4 Columns							
RMLCL404026	400	1190	148	335	26	9102	731.76



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height




Code	Description	Price (per pair)
RMT2F	2 column	£99.00
RMT3F	3 column	£99.00
RMT4F	4 column	£99.00

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



2 mm  45mm



D (wall to back of radiator) =
30mm/40mm dependant
on radiator position on the
bracket.

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL218007	1800	335	66	1735	7	3858	388.56
RMLCL218009	1800	425	66	1735	9	4960	493.36
RMLCL218011	1800	515	66	1735	11	6063	592.54



Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.


Laser Klassic Horizontal Anthracite

M Matt Finish

5 5 Year Guarantee



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
ALCL206014	600	650	66	535	14	2707	330.72
ALCL206018	600	830	66	535	18	3480	416.14
ALCL206022	600	1010	66	535	22	4255	502.98
3 Columns							
ALCL306014	600	650	107	535	14	3694	358.28
ALCL306018	600	830	107	535	18	4724	454.74
ALCL306022	600	1010	107	535	22	5773	544.32
ALCL306026	600	1190	107	535	26	6824	640.78
4 Columns							
ALCL404026	400	1190	148	335	26	9102	731.76




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height



Code	Description	Price (per pair)
AT2F	2 column	£99.00
AT3F	3 column	£99.00
AT4F	4 column	£99.00

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
ALCL218007	1800	335	66	1735	7	3858	388.56
ALCL218009	1800	425	66	1735	9	4960	493.36
ALCL218011	1800	515	66	1735	11	6063	592.54

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.


K-Flat Kompact Horizontal




10 10 Year
Guarantee



Type 11 Single Convector



Type 22 Double Convactor



TYPE 11 Single Convactor


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406F	600	56	345	40 or 55	1586	127.02
KS408F	800	56	345	40 or 55	2115	150.46
KS410F	1000	56	345	40 or 55	2644	174.12
KS412F	1200	56	345	40 or 55	3173	201.90
KS414F	1400	56	345	40 or 55	3701	223.57
KS416F	1600	56	345	40 or 55	4230	248.77
500mm high						
KS504F	400	56	445	40 or 55	1279	119.87
KS506F	600	56	445	40 or 55	1918	141.31
KS508F	800	56	445	40 or 55	2558	169.55
KS510F	1000	56	445	40 or 55	3197	198.50
KS512F	1200	56	445	40 or 55	3837	232.12
KS514F	1400	56	445	40 or 55	4476	257.79
KS516F	1600	56	445	40 or 55	5116	282.75
600mm high						
KS604F	400	56	545	40 or 55	1489	128.19
KS606F	600	56	545	40 or 55	2233	153.50
KS608F	800	56	545	40 or 55	2977	186.54
KS610F	1000	56	545	40 or 55	3722	219.71
KS612F	1200	56	545	40 or 55	4466	247.00
KS614F	1400	56	545	40 or 55	5211	287.67
KS616F	1600	56	545	40 or 55	5955	316.61
KS618F	1800	56	545	40 or 55	6699	344.61
KS620F	2000	56	545	40 or 55	7444	372.97

TYPE 22 Double Convactor



Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406F	600	105	345	82.5 or 97.5	3133	171.31
KD408F	800	105	345	82.5 or 97.5	4178	209.51
KD410F	1000	105	345	82.5 or 97.5	5222	247.83
KD412F	1200	105	345	82.5 or 97.5	6266	290.83
KD414F	1400	105	345	82.5 or 97.5	7311	326.92
KD416F	1600	105	345	82.5 or 97.5	8355	366.99
500mm high						
KD504F	400	105	445	82.5 or 97.5	2499	159.12
KD506F	600	105	445	82.5 or 97.5	3748	196.04
KD508F	800	105	445	82.5 or 97.5	4997	242.79
KD510F	1000	105	445	82.5 or 97.5	6247	289.90
KD512F	1200	105	445	82.5 or 97.5	7496	341.57
KD514F	1400	105	445	82.5 or 97.5	8746	385.51
KD516F	1600	105	445	82.5 or 97.5	9995	428.86
600mm high						
KD604F	400	105	545	82.5 or 97.5	2876	175.76
KD606F	600	105	545	82.5 or 97.5	4314	219.71
KD608F	800	105	545	82.5 or 97.5	5752	275.24
KD610F	1000	105	545	82.5 or 97.5	7190	330.55
KD612F	1200	105	545	82.5 or 97.5	8627	390.67
KD614F	1400	105	545	82.5 or 97.5	10065	442.80
KD616F	1600	105	545	82.5 or 97.5	11503	494.12
KD618F	1800	105	545	82.5 or 97.5	12941	544.28
KD620F	2000	105	545	82.5 or 97.5	14379	595.01



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)			Price (£)
			(c1)	(c2)		
1800mm high						
SV318F	300	52.5	245	42	1672	229.90
SV418F	400	52.5	345	42	2235	261.66
SV518F	500	52.5	445	42	2791	294.11
SV618F	600	52.5	545	42	3371	330.20

TYPE 20 Double Panel (With Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)			Price (£)
			(c1)	(c2)		
1800mm high						
DV318F	300	72.5	245	59	2774	330.20
DV418F	400	72.5	345	59	3709	376.72
DV518F	500	72.5	445	59	4603	426.16
DV618F	600	72.5	545	59	5521	472.10
2000mm high						
DV420F	400	72.5	345	59	4159	403.67

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.


K-Flat Premium Kompact Horizontal




5 Year Guarantee



Type 11 Single Convector



Type 22 Double Convactor



TYPE 11 Single Convactor


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406FP	600	56	345	40 or 55	1586	152.45
KS408FP	800	56	345	40 or 55	2115	180.57
KS410FP	1000	56	345	40 or 55	2644	208.93
KS412FP	1200	56	345	40 or 55	3173	242.32
KS414FP	1400	56	345	40 or 55	3701	268.21
KS416FP	1600	56	345	40 or 55	4230	298.56
500mm high						
KS504FP	400	56	445	40 or 55	1279	143.89
KS506FP	600	56	445	40 or 55	1918	169.55
KS508FP	800	56	445	40 or 55	2558	203.53
KS510FP	1000	56	445	40 or 55	3197	238.10
KS512FP	1200	56	445	40 or 55	3837	278.52
KS514FP	1400	56	445	40 or 55	4476	309.34
KS516FP	1600	56	445	40 or 55	5116	339.33
600mm high						
KS604FP	400	56	545	40 or 55	1489	153.85
KS606FP	600	56	545	40 or 55	2233	184.20
KS608FP	800	56	545	40 or 55	2977	223.92
KS610FP	1000	56	545	40 or 55	3722	263.64
KS612FP	1200	56	545	40 or 55	4466	296.45
KS614FP	1400	56	545	40 or 55	5211	345.09
KS616FP	1600	56	545	40 or 55	5955	380.00
KS618FP	1800	56	545	40 or 55	6699	413.51
KS620FP	2000	56	545	40 or 55	7444	447.61

TYPE 22 Double Convactor



Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406FP	600	105	345	82.5 or 97.5	3133	205.65
KD408FP	800	105	345	82.5 or 97.5	4178	251.45
KD410FP	1000	105	345	82.5 or 97.5	5222	297.51
KD412FP	1200	105	345	82.5 or 97.5	6266	348.95
KD414FP	1400	105	345	82.5 or 97.5	7311	392.42
KD416FP	1600	105	345	82.5 or 97.5	8355	440.46
500mm high						
KD504FP	400	105	445	82.5 or 97.5	2499	191.00
KD506FP	600	105	445	82.5 or 97.5	3748	235.17
KD508FP	800	105	445	82.5 or 97.5	4997	291.29
KD510FP	1000	105	445	82.5 or 97.5	6247	347.89
KD512FP	1200	105	445	82.5 or 97.5	7496	409.88
KD514FP	1400	105	445	82.5 or 97.5	8746	462.60
KD516FP	1600	105	445	82.5 or 97.5	9995	514.63
600mm high						
KD604FP	400	105	545	82.5 or 97.5	2876	211.03
KD606FP	600	105	545	82.5 or 97.5	4314	263.64
KD608FP	800	105	545	82.5 or 97.5	5752	330.32
KD610FP	1000	105	545	82.5 or 97.5	7190	396.64
KD612FP	1200	105	545	82.5 or 97.5	8627	468.82
KD614FP	1400	105	545	82.5 or 97.5	10065	513.39
KD616FP	1600	105	545	82.5 or 97.5	11503	592.91
KD618FP	1800	105	545	82.5 or 97.5	12941	653.14
KD620FP	2000	105	545	82.5 or 97.5	14379	713.95



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
SV318FP	300	52.5	245	42	1672	264.34
SV418FP	400	52.5	345	42	2235	300.90
SV518FP	500	52.5	445	42	2791	338.16
SV618FP	600	52.5	545	42	3371	379.77


TYPE 20 Double Panel (With Side Panels)


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
DV318FP	300	72.5	245	59	2774	379.77
DV418FP	400	72.5	345	59	3709	433.19
DV518FP	500	72.5	445	59	4603	490.15
DV618FP	600	72.5	545	59	5521	542.88

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.



Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
581mm high						
VER500-05	400	95	400	65	2,538	150.92
VER500-08	640	95	640	65	4,060	225.61
VER500-10	800	95	800	65	5,075	274.01
VER500-13	1040	95	1040	65	6,598	348.70
VER500-15	1200	95	1200	65	7,613	398.53
VER500-18	1440	95	1440	65	9,136	476.19
681mm high						
VER600-05	400	95	400	65	3,091	156.75
VER600-08	640	95	640	65	4,946	234.41
VER600-10	800	95	800	65	6,182	287.21
VER600-13	1040	95	1040	65	8,037	366.30
VER600-15	1200	95	1200	65	9,273	417.56
VER600-18	1440	95s	1440	65	11,128	501.01






Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^\circ\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1870m high						
VER1800-03HI	240	100	240	65	3,691	393.53
VER1800-04HI	320	100	320	65	4,922	537.68
VER1800-05HI	400	100	400	65	6,152	622.71
VER1800-06HI	480	100	480	65	7,382	735.57
VER1800-07HI	560	100	560	65	8,613	871.75




Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		No. of Sections	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
760mm high							
600/180/6	456	180	476	122/132	6	3132	549.54
954mm high							
800/180/6	456	180	476	122/132	6	3906	741.82



Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA
Please ensure that you have a joining key, to check all joints are tight before installing.



Shown finished in Black RAL9005




Supplied in dark grey primer RAL7022 as shown left.


Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)	No. of Sections	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
660mm high						
4/65/10	600	144	620	10	4007	572.60
4/65/13	780	144	800	13	5209	748.47
4/65/17	1020	144	1040	17	6812	969.21
4/65/21	1260	144	1280	21	8414	1189.95
760mm high						
4/75/10	600	144	620	10	4652	635.02
4/75/13	780	144	800	13	6047	829.69
4/75/17	1020	144	1040	17	7908	1075.50
4/75/21	1260	144	1280	21	9768	1321.19

Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA
Please ensure that you have a joining key, to check all joints are tight before installing.




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
SJC-1	1300	600	100	2786	556.20







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MIA (Horizontal)	450	1400	1350	1708	414.10
MIA (Vertical)	1400	450	1350	1708	414.10




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)		
CVG	2000	351	50	4628	567.50		




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MCI	2000	276	50	5369	678.70



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAX	1604	500	50	4778	452.00







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAS	945	675	528	5521	383.00
LAS-1	945	500	356	3013	366.30



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
IDA15-0240	1500	240	200	2667	650.00
IDA15-0340	1500	340	300	3735	909.80
IDA18-0240	1800	240	200	3200	749.90
IDA18-0340	1800	340	300	4483	973.70
IDA18-0440	1800	440	400	5780	1242.80
ZXIDA	Optional Towel Holder				193.10







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
TOL500-1200	1200	500	445	2770	553.90
TOL600-1200	1200	600	545	3440	664.90



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MET800-500	800	500	475	1701	235.30
MET800-600	800	600	575	1841	246.40
MET1200-500	1200	500	475	2192	338.60
MET1200-600	1200	600	575	2625	354.10






Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
OHI500-800P	800	500	450	2321	495.50
OHI500-1200P	1200	500	450	3480	635.40




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CON500-900	900	500	472	843	419.60
CON350-1200	1200	350	322	891	392.90
CON500-1200	1200	500	472	1124	532.80
CON350-1800	1800	350	322	1050	519.50
CON500-1800	1800	500	472	1323	731.30





Straight

Curved





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720	720	500	468	1556	305.00
ORL600-720	720	600	568	1682	353.00
ORL500-1200	1200	500	468	2410	454.20
ORL600-1200	1200	600	568	2564	487.50
ORL500-1500	1500	500	468	2853	551.40
ORL600-1500	1500	600	568	3022	584.70

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720C	720	500	468	1556	347.70
ORL600-720C	720	600	568	1682	381.00
ORL500-1200C	1200	500	468	2140	508.80
ORL600-1200C	1200	600	568	2564	563.40
ORL500-1500C	1500	500	468	2853	603.40



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
EWR	952	500	86	462	1201	260.20
EWR-1	1306	500	86	462	1703	294.90







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MEM500-1200	1200	500	65	450	2079	331.90

MEM600-1200	1200	600	65	550	2390	365.20
--------------------	------	-----	----	-----	------	--------



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ATL500-1200A	1185	500	440	2490	329.00







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MOD500-800C	800	500	470	900	259.00
MOD500-1200C	1200	600	550	1400	329.00



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORE500-1200C	1180	500	100	2140	329.00







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORE500-1200A	1180	500	100	1652	379.00



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
--------------	-------------	------------	------------	-------------------------	--	--------------

PHX	1150	500	151	400	1945	295.10
-----	------	-----	-----	-----	------	--------







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
JFK	906	500	100	1198	283.10



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
OAK	916	500	300	1411	282.00
OAK-1	1176	500	300	1820	317.70





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
SQR508C	800	500	455	1310	176.50
SQR608C	800	600	555	1520	198.70
SQR512C	1200	500	455	1910	243.10
SQR612C	1200	600	555	2200	265.30
SQR516C	1600	500	455	2495	309.70
SQR616C	1600	600	555	2890	343.00


K-Rail 22mm Black

M Matt Finish


5 5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR510B	1000	500	455	2194	141.20
STR512B	1200	500	455	2680	161.90
STR612B	1200	600	555	3109	166.60



Tube diameter
22mm





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR510A	1000	500	455	2194	141.20
STR512A	1200	500	455	2680	161.90
SQR612A	1200	600	555	3109	166.60

Coloured K-Rails

G Gloss
Finish

5 5 Year
Guarantee



Notes: Max operating pressure 7 bar.

Make a statement with our coloured K-Rails. Available in 7 bold colours.



22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308	300	800	255	1364	123.90
STR408	400	800	355	1567	126.70
STR508	500	800	455	1856	130.70
STR608	600	800	555	2151	134.60
STR310	300	1000	255	1626	132.40
STR410	400	1000	355	1868	135.70
STR510	500	1000	455	2194	141.20
STR610	600	1000	555	2538	143.60
STR312	300	1200	255	1978	151.50
STR412	400	1200	355	2274	155.20
STR512	500	1200	455	2680	161.90
STR612	600	1200	555	3109	166.60
STR316	300	1600	255	2614	178.40
STR416	400	1600	355	3006	183.00
STR516	500	1600	455	3540	190.80
STR616	600	1600	555	4105	196.70
STR518	500	1800	455	4069	239.30
STR618	600	1800	555	4720	249.80

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308	300	800	255	1364	126.80
CTR408	400	800	355	1567	130.10
CTR508	500	800	455	1856	134.00
CTR608	600	800	555	2151	137.90
CTR310	300	1000	255	1626	135.80
CTR410	400	1000	355	1868	139.40
CTR510	500	1000	455	2194	145.20
CTR610	600	1000	555	2538	147.70
CTR312	300	1200	255	1978	155.30
CTR412	400	1200	355	2274	159.20
CTR512	500	1200	455	2680	166.30
CTR612	600	1200	555	3109	171.30
CTR316	300	1600	255	2614	183.10
CTR416	400	1600	355	3006	186.30
CTR516	500	1600	455	3540	194.10
CTR616	600	1600	555	4105	200.00
CTR518	500	1800	455	4069	246.10
CTR618	600	1800	555	4720	257.30

Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.

Finished in RAL 9016




22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308W	300	800	255	1364	48.90
STR408W	400	800	355	1567	51.70
STR508W	500	800	455	1856	55.70
STR608W	600	800	555	2151	59.60
STR310W	300	1000	255	1626	57.40
STR410W	400	1000	355	1868	60.70
STR510W	500	1000	455	2194	66.20
STR610W	600	1000	555	2538	68.60
STR312W	300	1200	255	1978	64.00
STR412W	400	1200	355	2274	67.70
STR512W	500	1200	455	2680	74.40
STR612W	600	1200	555	3109	79.10
STR316W	300	1600	255	2614	78.40
STR416W	400	1600	355	3006	83.00
STR516W	500	1600	455	3540	90.80
STR616W	600	1600	555	4105	96.70
STR518W	500	1800	455	4069	114.30
STR618W	600	1800	555	4720	124.80

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308W	300	800	255	1364	51.80
CTR408W	400	800	355	1567	55.10
CTR508W	500	800	455	1856	59.00
CTR608W	600	800	555	2151	62.90
CTR310W	300	1000	255	1626	60.80
CTR410W	400	1000	355	1868	64.40
CTR510W	500	1000	455	2194	70.20
CTR610W	600	1000	555	2538	72.70
CTR312W	300	1200	255	1978	67.80
CTR412W	400	1200	355	2274	71.70
CTR512W	500	1200	455	2680	78.80
CTR612W	600	1200	555	3109	83.80
CTR316W	300	1600	255	2614	83.10
CTR416W	400	1600	355	3006	86.30
CTR516W	500	1600	455	3540	94.10
CTR616W	600	1600	555	4105	100.00
CTR518W	500	1800	455	4069	121.10
CTR618W	600	1800	555	4720	132.30




Notes: Max operating pressure 7 bar.

22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308C	300	800	255	957	70.90
STR408C	400	800	355	1100	75.00
STR508C	500	800	455	1302	80.70
STR608C	600	800	555	1509	86.30
STR310C	300	1000	255	1140	83.20
STR410C	400	1000	355	1311	88.00
STR510C	500	1000	455	1540	95.90
STR610C	600	1000	555	1781	99.40
STR312C	300	1200	255	1388	92.70
STR412C	400	1200	355	1595	98.10
STR512C	500	1200	455	1881	107.80
STR612C	600	1200	555	2182	114.60
STR316C	300	1600	255	1835	113.70
STR416C	400	1600	355	2108	120.30
STR516C	500	1600	455	2484	131.60
STR616C	600	1600	555	2881	140.10
STR518C	500	1800	455	2855	165.60
STR618C	600	1800	555	3312	180.90

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308C	300	800	255	957	75.10
CTR408C	400	800	355	1100	79.80
CTR508C	500	800	455	1302	85.50
CTR608C	600	800	555	1509	91.10
CTR310C	300	1000	255	1140	88.20
CTR410C	400	1000	355	1311	93.30
CTR510C	500	1000	455	1540	101.70
CTR610C	600	1000	555	1781	105.30
CTR312C	300	1200	255	1388	98.20
CTR412C	400	1200	355	1595	104.00
CTR512C	500	1200	455	1881	114.20
CTR612C	600	1200	555	2182	121.50
CTR316C	300	1600	255	1835	120.50
CTR416C	400	1600	355	2108	125.10
CTR516C	500	1600	455	2484	136.40
CTR616C	600	1600	555	2881	144.90
CTR518C	500	1800	455	2855	175.50
CTR618C	600	1800	555	3312	191.70



Notes: Max operating pressure 7 bar.






25mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
25STR308C	300	800	255	1106	94.30
25STR408C	400	800	355	1272	97.70
25STR508C	500	800	455	1506	105.50
25STR608C	600	800	555	1746	108.80
25STR310C	300	1000	255	1319	105.50
25STR410C	400	1000	355	1516	108.80
25STR510C	500	1000	455	1781	116.60
25STR610C	600	1000	555	2060	119.90
25STR312C	300	1200	255	1605	116.60
25STR412C	400	1200	355	1845	119.90
25STR512C	500	1200	455	2175	127.60
25STR612C	600	1200	555	2524	131.00
25STR316C	300	1600	255	2122	138.80
25STR416C	400	1600	355	2439	142.10
25STR516C	500	1600	455	2873	149.90
25STR616C	600	1600	555	3332	164.30
25STR518C	500	1800	455	3302	194.20
25STR618C	600	1800	555	3830	208.70

25mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
25CTR308C	300	800	255	1106	99.90
25CTR408C	400	800	355	1272	103.20
25CTR508C	500	800	455	1506	116.60
25CTR608C	600	800	555	1746	119.90
25CTR310C	300	1000	255	1319	111.00
25CTR410C	400	1000	355	1516	114.30
25CTR510C	500	1000	455	1781	122.10
25CTR610C	600	1000	555	2060	125.40
25CTR312C	300	1200	255	1605	122.10
25CTR412C	400	1200	355	1845	125.40
25CTR512C	500	1200	455	2175	133.20
25CTR612C	600	1200	555	2524	136.50
25CTR316C	300	1600	255	2122	149.90
25CTR416C	400	1600	355	2439	153.20
25CTR516C	500	1600	455	3302	160.90
25CTR616C	600	1600	555	3332	175.40
25CTR518C	500	1800	455	3302	205.40
25CTR618C	600	1800	555	3830	219.80




Notes: Max operating pressure 7 bar.



Electric Towel Rail – On/Off

Electric Towel Rail – Thermostatic



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ESTR508C	800	500	455	150	178.90
ESTR510C	1000	500	455	200	205.80
ESTR512C	1200	500	455	300	233.00
Curved					
ECTR508C	800	500	455	150	184.40
ECTR510C	1000	500	455	200	211.30
ECTR512C	1200	500	455	300	238.50

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ETSTR508C	800	500	455	150	226.10
ETSTR510C	1000	500	455	150	253.00
ETSTR512C	1200	500	455	300	280.20
Curved					
ETCTR508C	800	500	455	150	231.60
ETCTR510C	1000	500	455	150	258.50
ETCTR512C	1200	500	455	300	285.70

Radiator Valves & Extras



Modern Valves (Pair)

Straight
KART-STR £18.00

Angled
KART-ANG £18.00



Square Valves (Pair)

Straight
SQR-STR £43.00

Angled
SQR-ANG £45.50



Cube Valves (Pair)

Straight
CUBE-STR £24.00

Angled
CUBE-ANG £24.00



Times Valves (Pair)

Straight
CROSS-STR £25.00

Angled
CROSS-ANG £25.00



Traditional Cross Head Valves (Pair)

Angled
TRAD-CROSS-ANG £26.00



Aspen Valves (Pair)

Straight
ASP-STR £46.00

Angled
ASP-ANG £43.00



Corner Valves (Pair)

CRNV £26.50



Traditional - Chrome

TRAD-ANG-C £40.00



Traditional - Brass

TRAD-ANG-B £45.00



Modern Valves Anthracite (Pair)

Straight
ANTH-STR £38.50

Angled
ANTH-ANG £38.50



Nostalgia Thermostatic Valves

VLVCHA-TRV £73.00



Nostalgia Manual Valves

VLVCHA-AB1 £55.00



Refined Thermostatic Valve

Straight
TRVRS £16.50

Angled
TRVRA £14.50



Refined All Chrome Thermostatic Valve

Straight
TRVRSC £17.50

Angled
TRVRAC £15.00



Style Thermostatic Valve

Straight
TRVSS £11.00

Angled
TRVSA £11.00



Dual Fuel Heating Element

HE150 150 Watt £64.80
HE300 300 Watt £71.30
HE600 600 Watt £77.80

Dual Fuel Thermostatic Heating Element
TE300 300 Watt £129.60
TE600 600 Watt £142.60



Dual Fuel Thermostatic Heating Element



KARTELL^{UK}

Kartell UK Ltd
16-19 The Manton Centre, Manton Lane,
Bedford MK41 7PX
Tel 01234 363 393 Fax 01234 363 488

Kartell UK Ltd
Unit 3, Greenbank Business Park, Swan Lane,
Hindley Green, Wigan WN2 4EZ
Tel 01942 257 800 Fax 01942 257 900

www.kartelluk.com